Brain Research, 450 (1988) 408–410
Elsevier

Author Index

Aimone, L.D. and Gebhart, G.F., Serotonin and/or an excitatory amino acid in the medial medulla mediates stimulation-produced antinociception from the lateral hypothalamus in the rat, 170
Alesci, R. and Bagnoli, P., Endogenous levels of serotonin and 5-hydroxyindoleacetic acid in specific areas of the pigeon CNS: effects of serotonin neurotoxins, 259
Almeida, O.F.X., see Nikolarakis, K.E., 360
Amini-Sereshki, L. and Morrison, A.R., Release of heat-loss responses in paradoxical sleep by thermal loads and by pontine tegmental lesions in cats, 9
Amir, S. and Shechter, Y., Apparent involvement of protein kinase C in the central glucoregulatory action of insulin, 272
Amir, S., TPA (12-*O*-tetradecanoylphorbol-13-acetate) enhance the central hypoglycemic action of thyrotropin-releasing hormone in mice, 369
Andersen, A.C., see Schoofs, L., 202
Arbonés, L., Picatoste, F. and García, A., Histamine H_1-receptors mediate phosphoinositide hydrolysis in astrocyte-enriched primary cultures, 144
Aruldhas, M., see Kumaran, B., 325
Astier, H., see Tapia-Arancibia, L., 101
Auerbach, S.B., see Zhou, F.C., 51
Azmitia, E.C., see Zhou, F.C., 51

Baas, P.W., see Sinclair, G.I., 60
Bagnoli, P., see Alesci, R., 259
Baird, J.L., see Glick, S.D., 334
Baker, H., Towle, A.C. and Margolis, F.L., Differential afferent regulation of dopaminergic and GABAergic neurons in the mouse main olfactory bulb, 69
Barth, D.S. and Sutherling, W., Current source-density and neuromagnetic analysis of the direct cortical response in rat cortex, 280
Basbaum, A.I., see Faden, A.I., 94
Bellin, S.I., see Dellmann, H.-D., 181
Binet, S. and Meininger, V., Biochemical basis of microtubule cold stability in the peripheral and central nervous systems, 231
Bowersox, S.S., see Faull, K.F., 225
Bozarth, M., see Jenck, D., 382
Bunney, B.S., see Yeomans, J.S., 86

Calderon, S.F., Sanberg, P.R. and Norman, A.B., Quinolinic acid lesions of rat striatum abolish D_1- and D_2-dopamine receptor-mediated catalepsy, 403
Charpak, S., Dubois-Dauphin, M., Raggenbass, M. and Dreifuss, J.J., Direct inhibition by opioid peptides of neurones located in the ventromedial nucleus of the guinea pig hypothalamus, 124
Ciaranello, R.D., see Faull, K.F., 225
Cortés, R., see Probst, A., 190
Cunningham, V.J., see Tucker, S.P., 131

De Loof, A., see Schoofs, L., 202
Dellmann, H.-D., Lue, L.-F., Bellin, S.I. and Ouassat, M., An immunohistochemical and fine-structural analysis of peptidergic hypothalamic neurosecretory axon regeneration into the leptomeninges of the rat, 181
Dement, W.C., see Faull, K.F., 225
Dickman, J.D. and Smith, D.V., Response properties of fibers in the hamster superior laryngeal nerve, 25
Dinh, T.T., see Ritter, S., 354
Dreifuss, J.J., see Charpak, S., 124
Drower, E.J. and Hammond, D.L., GABAergic modulation of nociceptive threshold: effects of THIP and bicuculline microinjected in the ventral medulla of the rat, 316
Dubois-Dauphin, M., see Charpak, S., 124
Duron, B., see Marlot, D., 373

Eberle, A.N., see Schoofs, L., 202
Espinosa, I.E. and Gerstein, G.L., Cortical auditory neuron interactions during presentation of 3-tone sequences: effective connectivity, 39

Faden, A.I., Gannon, A. and Basbaum, A.I., Use of serotonin immunocytochemistry as a marker of injury severity after experimental spinal trauma in rats, 94
Faull, K.F., Bowersox, S.S., Zeller-DeAmicis, L., Maddaluno, J.F., Ciaranello, R.D. and Dement, W.C., Influence of freezer storage time on cerebral biogenic amine and metabolite concentrations and receptor ligand binding characteristics, 225
Frischknecht, H.-R., see Külling, P., 237

Gannon, A., see Faden, A.I., 94
García, A., see Arbonés, L., 144
Gebhart, G.F., see Aimone, L.D., 170
Gebhart, G.F., see Ness, T.J., 153
Gerstein, G.L., see Espinosa, I.E., 39
Glick, S.D., Hinds, P.A. and Baird, J.L., Two kinds of nigrostriatal asymmetry: relationship to dopaminergic drug sensitivity and 6-hydroxydopamine lesion effects of Long–Evans rats, 334
Gonzalez-Brito, A., see Troiani, M.E., 18
Govindarajulu, P., see Kumaran, B., 325
Gunasekar, P.G., see Kumaran, B., 325

Hammond, D.L., see Drower, E.J., 316
Heidemann, S.R., see Sinclair, G.I., 60
Herbert, D.C., see Troiani, M.E., 18
Herz, A., see Nikolarakis, K.E., 360
Higgins, W.J., see O'Neill, J.B., 303
Hinds, P.A., see Glick, S.D., 334
Hunt, A., see Patel, A.J., 378
Huybrechts, R., see Schoofs, L., 202
Hyman, B.T., Kromer, L.J. and Van Hoesen, G.W., A direct demonstration of the perforant pathway terminal zone in Alzheimer's disease using the monoclonal antibody Alz-50, 392

Jegou, S., see Schoofs, L., 202
Jenck, D., Bozarth, M. and Wise, R.A., Contraversive circling induced by ventral tegmental microinjections of moderate

Brain Research, 450 (1988) 408–410
Elsevier

Author Index

Aimone, L.D. and Gebhart, G.F., Serotonin and/or an excitatory amino acid in the medial medulla mediates stimulation-produced antinociception from the lateral hypothalamus in the rat, 170
Alesci, R. and Bagnoli, P., Endogenous levels of serotonin and 5-hydroxyindoleacetic acid in specific areas of the pigeon CNS: effects of serotonin neurotoxins, 259
Almeida, O.F.X., see Nikolarakis, K.E., 360
Amini-Sereshki, L. and Morrison, A.R., Release of heat-loss responses in paradoxical sleep by thermal loads and by pontine tegmental lesions in cats, 9
Amir, S. and Shechter, Y., Apparent involvement of protein kinase C in the central glucoregulatory action of insulin, 272
Amir, S., TPA (12-*O*-tetradecanoylphorbol-13-acetate) enhance the central hypoglycemic action of thyrotropin-releasing hormone in mice, 369
Andersen, A.C., see Schoofs, L., 202
Arbonés, L., Picatoste, F. and García, A., Histamine H_1-receptors mediate phosphoinositide hydrolysis in astrocyte-enriched primary cultures, 144
Aruldhas, M., see Kumaran, B., 325
Astier, H., see Tapia-Arancibia, L., 101
Auerbach, S.B., see Zhou, F.C., 51
Azmitia, E.C., see Zhou, F.C., 51

Baas, P.W., see Sinclair, G.I., 60
Bagnoli, P., see Alesci, R., 259
Baird, J.L., see Glick, S.D., 334
Baker, H., Towle, A.C. and Margolis, F.L., Differential afferent regulation of dopaminergic and GABAergic neurons in the mouse main olfactory bulb, 69
Barth, D.S. and Sutherling, W., Current source-density and neuromagnetic analysis of the direct cortical response in rat cortex, 280
Basbaum, A.I., see Faden, A.I., 94
Bellin, S.I., see Dellmann, H.-D., 181
Binet, S. and Meininger, V., Biochemical basis of microtubule cold stability in the peripheral and central nervous systems, 231
Bowersox, S.S., see Faull, K.F., 225
Bozarth, M., see Jenck, D., 382
Bunney, B.S., see Yeomans, J.S., 86

Calderon, S.F., Sanberg, P.R. and Norman, A.B., Quinolinic acid lesions of rat striatum abolish D_1- and D_2-dopamine receptor-mediated catalepsy, 403
Charpak, S., Dubois-Dauphin, M., Raggenbass, M. and Dreifuss, J.J., Direct inhibition by opioid peptides of neurones located in the ventromedial nucleus of the guinea pig hypothalamus, 124
Ciaranello, R.D., see Faull, K.F., 225
Cortés, R., see Probst, A., 190
Cunningham, V.J., see Tucker, S.P., 131

De Loof, A., see Schoofs, L., 202
Dellmann, H.-D., Lue, L.-F., Bellin, S.I. and Ouassat, M., An immunohistochemical and fine-structural analysis of peptidergic hypothalamic neurosecretory axon regeneration into the leptomeninges of the rat, 181
Dement, W.C., see Faull, K.F., 225
Dickman, J.D. and Smith, D.V., Response properties of fibers in the hamster superior laryngeal nerve, 25
Dinh, T.T., see Ritter, S., 354
Dreifuss, J.J., see Charpak, S., 124
Drower, E.J. and Hammond, D.L., GABAergic modulation of nociceptive threshold: effects of THIP and bicuculline microinjected in the ventral medulla of the rat, 316
Dubois-Dauphin, M., see Charpak, S., 124
Duron, B., see Marlot, D., 373

Eberle, A.N., see Schoofs, L., 202
Espinosa, I.E. and Gerstein, G.L., Cortical auditory neuron interactions during presentation of 3-tone sequences: effective connectivity, 39

Faden, A.I., Gannon, A. and Basbaum, A.I., Use of serotonin immunocytochemistry as a marker of injury severity after experimental spinal trauma in rats, 94
Faull, K.F., Bowersox, S.S., Zeller-DeAmicis, L., Maddaluno, J.F., Ciaranello, R.D. and Dement, W.C., Influence of freezer storage time on cerebral biogenic amine and metabolite concentrations and receptor ligand binding characteristics, 225
Frischknecht, H.-R., see Külling, P., 237

Gannon, A., see Faden, A.I., 94
García, A., see Arbonés, L., 144
Gebhart, G.F., see Aimone, L.D., 170
Gebhart, G.F., see Ness, T.J., 153
Gerstein, G.L., see Espinosa, I.E., 39
Glick, S.D., Hinds, P.A. and Baird, J.L., Two kinds of nigrostriatal asymmetry: relationship to dopaminergic drug sensitivity and 6-hydroxydopamine lesion effects of Long–Evans rats, 334
Gonzalez-Brito, A., see Troiani, M.E., 18
Govindarajulu, P., see Kumaran, B., 325
Gunasekar, P.G., see Kumaran, B., 325

Hammond, D.L., see Drower, E.J., 316
Heidemann, S.R., see Sinclair, G.I., 60
Herbert, D.C., see Troiani, M.E., 18
Herz, A., see Nikolarakis, K.E., 360
Higgins, W.J., see O'Neill, J.B., 303
Hinds, P.A., see Glick, S.D., 334
Hunt, A., see Patel, A.J., 378
Huybrechts, R., see Schoofs, L., 202
Hyman, B.T., Kromer, L.J. and Van Hoesen, G.W., A direct demonstration of the perforant pathway terminal zone in Alzheimer's disease using the monoclonal antibody Alz-50, 392

Jegou, S., see Schoofs, L., 202
Jenck, D., Bozarth, M. and Wise, R.A., Contraversive circling induced by ventral tegmental microinjections of moderate

doses of morphine and [D-Pen^2,D-Pen^5]enkephalin, 382
Juraska, J.M. and Kopcik, J.R., Sex and environmental influences on the size and ultrastructure of the rat corpus callosum, 1

Koda, L., see Martinez, Jr., J.L., 81
Kopcik, J.R., see Juraska, J.M., 1
Kromer, L.J., see Hyman, B.T., 392
Külling, P., Frischknecht, H.-R., Pasi, A., Waser, P.G. and Siegfried, B., Social conflict-induced changes in nociception and β-endorphin-like immunoreactivity in pituitary and discrete brain areas of C57BL/6 and DBA/2 mice, 237
Kumaran, B., Gunasekar, P.G., Aruldhas, M. and Govindarajulu, P., Role of prolactin on neural and glial cellular enzymes involved in carbohydrate metabolism. I. Studies on immature male bonnet monkeys, 325

Lightman, S.L., see Moratalla, R., 398
Lister, T. and Ray, D.E., The role of basal forebrain in the primary cholinergic vasodilation in rat neocortex produced by systemic administration of cismethrin, 364
Lue, L.-F., see Dellmann, H.-D., 181

MacLean, P.D. and Newman, J.D., Role of midline frontolimbic cortex in production of the isolation call of squirrel monkeys, 111
Macron, J.-M., see Marlot, D., 373
Maddaluno, J.F., see Faull, K.F., 225
Maidment, N.T., see Yeomans, J.S., 86
Margolis, F.L., see Baker, H., 69
Marlot, D., Macron, J.-M. and Duron, B., Effects of ipsilateral and contralateral cervical phrenic afferents stimulation on phrenic motor unit activity in the cat, 373
Martinez, Jr., J.L. and Koda, L., Penetration of fluorescein into the brain: a sex difference, 81
Meininger, V., see Binet, S., 231
Millan, M.J. and Morris, B.J., Long-term blockade of μ-opioid receptors suggests a role in control of ingestive behaviour, body weight and core temperature in the rat, 247
Miyamoto, T., see Okada, Y., 295
Moratalla, R., Vallejo, M. and Lightman, S.L., Vasopressin stimulates inositol phospholipid metabolism in rat medulla oblongata in vivo, 398
Morris, B.J., see Millan, M.J., 247
Morrison, A.R., see Amini-Sereshki, L., 9
Mullen, D.A., see Zatz, M., 137

Nathanson, J., see Tapia-Arancibia, L., 101
Ness, T.J. and Gebhart, G.F., Colorectal distension as a noxious visceral stimulus: physiologic and pharmacologic characterization of pseudaffective reflexes in the rat, 153
Newman, J.D., see MacLean, P.D., 111
Nikolarakis, K.E., Almeida, O.F.X. and Herz, A., Hypothalamic opioid receptors mediate the inhibitory actions of corticotropin-releasing hormone on luteinizing hormone release: further evidence from a morphine-tolerant animal model, 360
Norman, A.B., see Calderon, S.F., 403

O'Neill, J.B., Pert, C.B., Ruff, M.R., Smith, C.C., Higgins, W.J. and Zipser, B., Identification and characterization of the opiate receptor in the ciliated protozoan, *Tetrahymena*, 303
Okada, Y., Miyamoto, T. and Sato, T., Ionic mechanism of generation of receptor potential in response to quinine in frog taste cell, 295
Ottersen, O.P., Storm-Mathisen, J. and Somogyi, P., Colocalization of glycine-like and GABA-like immunoreactivities in Golgi cell terminals in the rat cerebellum: a postembedding light and electron microscopic study, 342
Ouassat, M., see Dellmann, H.-D., 181

Palacios, J.M., see Probst, A., 190
Pares-Herbute, N., see Tapia-Arancibia, L., 101
Pasi, A., see Külling, P., 237
Patel, A.J., Hunt, A. and Seaton, P., The mechanism of cytosine arabinoside toxicity on quiescent astrocytes in vitro appears to be analogous to in vivo brain injury, 378
Pert, C.B., see O'Neill, J.B., 303
Picatoste, F., see Arbonés, L., 144
Probst, A., Cortés, R., Ulrich, J. and Palacios, J.M., Differential modification of muscarinic cholinergic receptors in the hippocampus of patients with Alzheimer's disease: an autoradiographic study, 190

Raggenbass, M., see Charpak, S., 124
Ray, D.E., see Lister, T., 364
Reichlin, S., see Tapia-Arancibia, L., 101
Reiter, R.J., see Troiani, M.E., 18
Ritter, S., Dinh, T.T., Stone, S. and Ross, N., Cerebroventricular dilation in spontaneously hypertensive rats (SHRs) is not attenuated by reduction of blood pressure, 354
Robinson, T.E. and Whishaw, I.Q., Normalization of extracellular dopamine in striatum following recovery from a partial unilateral 6-OHDA lesion of the substantia nigra: a microdialysis study in freely moving rats, 209
Ross, N., see Ritter, S., 354
Ruff, M.R., see O'Neill, J.B., 303

Sanberg, P.R., see Calderon, S.F., 403
Sato, T., see Okada, Y., 295
Schoofs, L., Jegou, S., Andersen, A.C., Tonon, M.C., Eberle, A.N., Huybrechts, R., De Loof, A. and Vaudry, H., Coexistence of melanin-concentrating hormone and α-melanocyte-stimulating hormone immunoreactivities in the central nervous system of the locust, *Locusta migratoria*, 202
Seaton, P., see Patel, A.J., 378
Shechter, Y., see Amir, S., 272
Siegfried, B., see Külling, P., 237
Sieghart, W., Comparison of two different benzodiazepine binding proteins by peptide mapping after limited proteolysis, 387
Sinclair, G.I., Baas, P.W. and Heidemann, S.R., Role of microtubules in the cytoplasmic compartmentation of neurons. II. Endocytosis in the growth cone and neurite shaft, 60
Smith, C.C., see O'Neill, J.B., 303
Smith, D.V., see Dickman, J.D., 25
Somogyi, P., see Ottersen, O.P., 342
Stone, S., see Ritter, S., 354
Storm-Mathisen, J., see Ottersen, O.P., 342
Sutherling, W., see Barth, D.S., 280

Tapia-Arancibia, L., Pares-Herbute, N., Astier, H., Reichlin, S. and Nathanson, J., Adenylate cyclase activation is not sufficient to stimulate somatostatin release from dispersed cerebral cortical and diencephalic cells in glia-free cultures, 101
Tonon, M.C., see Schoofs, L., 202
Towle, A.C., see Baker, H., 69

Troiani, M.E., Reiter, R.J., Vaughan, M.K., Gonzalez-Brito, A. and Herbert,D.C., The depression in rat pineal melatonin production after saline injection at night may be elicited by corticosterone, 18
Tucker, S.P. and Cunningham, V.J., Autoradiography of [^{3}H]cytochalasin B binding in rat brain, 131

Ulrich, J., see Probst, A., 190

Vallejo, M., see Moratalla, R., 398
Van Hoesen, G.W., see Hyman, B.T., 392
Vaudry, H., see Schoofs, L., 202
Vaughan, M.K., see Troiani, M.E., 18

Waser, P.G., see Külling, P., 237
Whishaw, I.Q., see Robinson, T.E., 209
Wise, R.A., see Jenck, D., 382

Yeomans, J.S., Maidment, N.T. and Bunney, B.S., Excitability properties of medial forebrain bundle axons of A9 and A10 dopamine cells, 86

Zatz, M. and Mullen, D.A., Norepinephrine, acting via adenylate cyclase, inhibits melatonin output but does not phase-shift the pacemaker in cultured chick pineal cells, 137
Zeller-DeAmicis, L., see Faull, K.F., 225
Zhou, F.C., Auerbach, S.B. and Azmitia, E.C., Transplanted raphe and hippocampal fetal neurons do not displace afferent inputs to the dorsal hippocampus from serotonergic neurons in the median raphe nucleus of the rat, 51
Zipser, B., see O'Neill, J.B., 303

BRAIN RESEARCH

VOL. 450 NO. 1/2 CONTENTS 31 MAY 1988

Research Reports

Sex and environmental influences on the size and ultrastructure of the rat corpus callosum (BRE 13547)
by J.M. Juraska and J.R. Kopcik (U.S.A.) 1

Release of heat-loss responses in paradoxical sleep by thermal loads and by pontine tegmental lesions in cats (BRE 13548)
by L. Amini-Sereshki and A.R. Morrison (U.S.A.) 9

The depression in rat pineal melatonin production after saline injection at night may be elicited by corticosterone (BRE 13549)
by M.E. Troiani, R.J. Reiter, M.K. Vaughan, A. Gonzalez-Brito and D.C. Herbert (U.S.A.) 18

Response properties of fibers in the hamster superior laryngeal nerve (BRE 13550)
by J.D. Dickman and D.V. Smith (U.S.A.) 25

Cortical auditory neuron interactions during presentation of 3-tone sequences: effective connectivity (BRE 13551)
by I.E. Espinosa and G.L. Gerstein (U.S.A.) 39

Transplanted raphe and hippocampal fetal neurons do not displace afferent inputs to the dorsal hippocampus from serotonergic neurons in the median raphe nucleus of the rat (BRE 13552)
by F.C. Zhou, S.B. Auerbach and E.C. Azmitia (U.S.A.) 51

Role of microtubules in the cytoplasmic compartmentation of neurons. II. Endocytosis in the growth cone and neurite shaft (BRE 13553)
by G.I. Sinclair, P.W. Baas and S.R. Heidemann (U.S.A.) 60

Differential afferent regulation of dopaminergic and GABAergic neurons in the mouse main olfactory bulb (BRE 13555)
by H. Baker, A.C. Towle and F.L. Margolis (U.S.A.) 69

Penetration of fluorescein into the brain: a sex difference (BRE 13554)
by J.L. Martinez Jr. and L. Koda (U.S.A.) 81

Excitability properties of medial forebrain bundle axons of A9 and A10 dopamine cells (BRE 13556)
by J.S. Yeomans, N.T. Maidment and B.S. Bunney (Canada, U.K., U.S.A.) 86

Use of serotonin immunocytochemistry as a marker of injury severity after experimental spinal trauma in rats (BRE 13557)
by A.I. Faden, A. Gannon and A.I. Basbaum (U.S.A.) 94

Adenylate cyclase activation is not sufficient to stimulate somatostatin release from dispersed cerebral cortical and diencephalic cells in glia-free cultures (BRE 13558)
by L. Tapia-Arancibia, N. Pares-Herbute, H. Astier, S. Reichlin and J. Nathanson (France, U.S.A.) 101

Role of midline frontolimbic cortex in production of the isolation call of squirrel monkeys (BRE 13559)
by P.D. MacLean and J.D. Newman (U.S.A.) 111

Direct inhibition by opioid peptides of neurones located in the ventromedial nucleus of the guinea pig hypothalamus (BRE 13560)
by S. Charpak, M. Dubois-Dauphin, M. Raggenbass and J.J. Dreifuss (Switzerland) 124

Autoradiography of [^{3}H]cytochalasin B binding in rat brain (BRE 13561)
by S.P. Tucker and V.J. Cunningham (U.K.) 131

Norepinephrine, acting via adenylate cyclase, inhibits melatonin output but does not phase-shift the pacemaker in cultured chick pineal cells (BRE 13563)
by M. Zatz and D.A. Mullen (U.S.A.) 137

Histamine H_1-receptors mediate phosphoinositide hydrolysis in astrocyte-enriched primary cultures (BRE 13562)
by L. Arbonés, F. Picatoste and A. Carcía (Spain) 144

Colorectal distension as a noxious visceral stimulus: physiologic and pharmacologic characterization of pseudoaffective reflexes in the rat (BRE 13564)
by T.J. Ness and G.F. Gebhart (U.S.A.) 153

Serotonin and/or an excitatory amino acid in the medial medulla mediates stimulation-produced antinociception from the lateral hypothalamus in the rat (BRE 13565)
by L.D. Aimone and G.F. Gebhart (U.S.A.) 170

(contents continued on pp. 411/412)

Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — PASCAL M

(contents continued from backcover)

An immunohistochemical and fine-structural analysis of peptidergic hypothalamic neurosecretory axon regeneration into the leptomeninges of the rat (BRE 13566)
by H.-D. Dellmann, L.-F. Lue, S.I. Bellin and M. Ouassat (U.S.A.) 181
Differential modification of muscarinic cholinergic receptors in the hippocampus of patients with Alzheimer's disease: an autoradiographic study (BRE 13567)
by A. Probst, R. Cortés, J. Ulrich and J.M. Palacios (Switzerland) 190
Coexistence of melanin-concentrating hormone and α-melanocyte-stimulating hormone immunoreactivities in the central nervous system of the locust *Locusta migratoria* (BRE 13568)
by L. Schoofs, S. Jegou, A.C. Andersen, M.C. Tonon, A.N. Eberle, R. Huybrechts, A. De Loof and H. Vaudry (Belgium, France, Switzerland) 202
Normalization of extracellular dopamine in striatum following recovery from a partial unilateral 6-OHDA lesion of the substantia nigra: a microdialysis study in freely moving rats (BRE 13569)
by T.E. Robinson and I.Q. Whishaw (U.S.A.) 209
Influence of freezer storage time on cerebral biogenic amine and metabolite concentrations and receptor ligand binding characteristics (BRE 13570)
by K.F. Faull, S.S. Bowersox, L. Zeller-DeAmicis, J.F. Maddaluno, R.D. Ciaranello and W.C. Dement (U.S.A.) 225
Chemical basis of microtubule cold stability in the peripheral and central nervous systems (BRE 13571)
by S. Binet and V. Meininger (France) 231
Social conflict-induced changes in nociception and β-endorphin-like immunoreactivity in pituitary and discrete brain areas of C57BL/6 and DBA/2 mice (BRE 13572)
by P. Külling, H.-R. Frischknecht, A. Pasi, P.G. Waser and B. Siegfried (Switzerland) 237
Long-term blockade of μ-opioid receptors suggests a role in control of ingestive behaviour, body weight and core temperature in the rat (BRE 13573)
by M.J. Millan and B.J. Morris (F.R.G.) 247
Endogenous levels of serotonin and 5-hydroxyindoleacetic acid in specific areas of the pigeon CNS: effects of serotonin neurotoxins (BRE 13574)
by R. Alesci and P. Bagnoli (Italy) 259
Apparent involvement of protein kinase C in the central glucoregulatory action of insulin (BRE 13575)
by S. Amir and Y. Shechter (Israel) 272
Current source-density and neuromagnetic analysis of the direct cortical response in rat cortex (BRE 13576)
by D.S. Barth and W. Sutherling (U.S.A.) 280
Ionic mechanism of generation of receptor potential in response to quinine in frog taste cell (BRE 13577)
by Y. Okada, T. Miyamoto and T. Sato (Japan) 295
Identification and characterization of the opiate receptor in the ciliated protozoan, *Tetrahymena* (BRE 13578)
by J.B. O'Neill, C.B. Pert, M.R. Ruff, C.C. Smith, W.J. Higgins and B. Zipser (U.S.A.) 303
GABAergic modulation of nociceptive threshold: effects of THIP and bicuculline microinjected in the ventral medulla of the rat (BRE 13579)
by E.J. Drower and D.L. Hammond (U.S.A.) 316
Role of prolactin on neural and glial cellular enzymes involved in carbohydrate metabolism. I. Studies on immature male bonnet monkeys (BRE 13580)
by B. Kumaran, P.G. Gunasekar, M.M. Aruldhas and P. Govindarajulu (India) 325
Two kinds of nigrostriatal asymmetry: relationship to dopaminergic drug sensitivity and 6-hydroxydopamine lesion effects of Long–Evans rats (BRE 13581)
by S.D. Glick, P.A. Hinds and J.L. Baird (U.S.A.) 334
Colocalization of glycine-like and GABA-like immunoreactivities in Golgi cell terminals in the rat cerebellum: a postembedding light and electron microscopic study (BRE 13582)
by O.P. Ottersen, J. Storm-Mathisen and P. Somogyi (Norway, U.K.) 342

Short Communications

Cerebroventricular dilation in spontaneously hypertensive rats (SHRs) is not attenuated by reduction of blood pressure (BRE 22891)
by S. Ritter, T.T. Dinh, S. Stone and N. Ross (U.S.A.) 354
Hypothalamic opioid receptors mediate the inhibitory actions of corticotropin-releasing hormone on luteinizing hormone release: further evidence from a morphine-tolerant animal model (BRE 22913)
by K.E. Nikolarakis, O.F.X. Almeida and A. Herz (F.R.G.) 360
The role of basal forebrain in the primary cholinergic vasodilation in rat neocortex produced by systemic administration of cismethrin (BRE 22917)
by T. Lister and D.E. Ray (U.K.) 364

(continued overleaf)

TPA (12-*O*-tetradecanoylphorbol-13-acetate) enhances the central hypoglycemic action of thyrotropin-releasing hormone in mice (BRE 22921)
by S. Amir (Canada) 369
Effects of ipsilateral and contralateral cervical phrenic afferents stimulation on phrenic motor unit activity in the cat (BRE 22922)
by D. Marlot, J.-M. Macron and B. Duron (France) 373
The mechanism of cytosine arabinoside toxicity on quiescent astrocytes in vitro appears to be analogous to in vivo brain injury (BRE 22924)
by A.J. Patel, A. Hunt and P. Seaton (U.K.) 378
Contraversive circling induced by ventral tegmental microinjections of moderate doses of morphine and [D-Pen^2,D-Pen^5]enkephalin (BRE 22925)
by F. Jenck, M. Bozarth and R.A. Wise (Canada) 382
Comparison of two different benzodiazepine binding proteins by peptide mapping after limited proteolysis (BRE 22926)
by W. Sieghart (Austria) 387
A direct demonstration of the perforant pathway terminal zone in Alzheimer's disease using the monoclonal antibody Alz-50 (BRE 22928)
by B.T. Hyman, L.J. Kromer and G.W. van Hoesen (U.S.A.) 392
Vasopressin stimulates inositol phospholipid metabolism in rat medulla oblongata in vivo (BRE 22929)
by R. Moratalla, M. Vallejo and S.L. Lightman (U.K.) 398
Quinolinic acid lesions of rat striatum abolish D_1- and D_2-dopamine receptor-mediated catalepsy (BRE 22932)
by S.F. Calderon, P.R. Sanberg and A.B. Norman (U.S.A.) 403

Author Index 408